

	L #	Hits	Search Text	DBs
1	L1	68	(JACOBSEN-JEFFREY or FAN-JOHN-C or POMBO-STEPHEN).in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	L2	289	KOPIN.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	L3	840	docking adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	L4	50182 1	telephone	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	L5	86182	hand adj held	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	L6	13338 39	housing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	L7	31994	connect\$3 adj port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	L8	10688	wireless adj (telephone or phone)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	L9	48863 5	control\$3 adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	L10	20059 3	image adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	L11	37925 4	LCD or (liquid adj crystal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	L12	49153	display adj data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	L13	29763	active adj matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	L14	38936 0	light adj source	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	L15	8214	power adj manag\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	L16	422	display\$3 adj port	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	L17	62539 4	transistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	L18	21814	single adj crystal adj silicon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
19	L19	12090 35	(optically adj transmissive adj substrate) or glass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	L20	11213 9	adhesive adj layer\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	L21	5347	color near sequen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	L22	61318	tim\$3 adj circuit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	L23	51573 5	battery	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	L24	54192 0	lens	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	L25	56238	magnif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	L26	2358	side adj illuminat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	L27	51569	stor\$3 adj position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	L28	15064 9	operat\$3 adj position	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	L29	31959 0	translat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	L30	50743 9	detach\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	L31	43272 0	camera	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	L32	595	"640" adj "480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	L33	21027	pixel adj electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	L34	12995 8	(low or high) adj resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	L35	37256	alphanumeric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	L36	34312 5	CPU or (central adj processing adj unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	L37	51064	remote adj location	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
38	L38	261	(LED or (light adj emitting adj diode)) near backlight	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB